

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.  | FILING DATE         | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|---------------------|----------------------|---------------------|------------------|
| 10/007,031   | 11/08/2001          | Matthew R. Blouin    | INL-032             | 2442             |
| 22832  | 832 7590 11/23/2005 |                      | EXAMINER            |                  |
| KIRKPATRICK & LOCKHART NICHOLSON GRAHAM LLP<br>(FORMERLY KIRKPATRICK & LOCKHART LLP)<br>75 STATE STREET<br>BOSTON, MA 02109-1808 |                     |                      | ALEXANDER, LYLE     |                  |
|  |                     |                      | ART UNIT            | PAPER NUMBER     |
|  |                     |                      | 1743                |                  |

DATE MAILED: 11/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

|   |  | Application No.  | Applicant(s)  |  |  |  |  |  |
|---|--|--|---------------|--|--|--|--|--|
| Office Action Summary   |  | 10/007,031   | BLOUIN ET AL. |  |  |  |  |  |
|   |  | Examiner   | Art Unit      |  |  |  |  |  |
|   |  | Lyle A. Alexander  | 1743          |  |  |  |  |  |
|   | The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply   |  |               |  |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filled, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). |  |  |               |  |  |  |  |  |
| Status  |  |  |               |  |  |  |  |  |
| 2a)⊠  | Responsive to communication(s) filed on <u>09 Sec</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allower closed in accordance with the practice under E   | action is non-final.  nce except for formal matters, pro                               |               |  |  |  |  |  |
| Dispositi   | on of Claims   |  |               |  |  |  |  |  |
| 5) □<br>6) ☑<br>7) □<br>8) □<br>Applicati   | Claim(s) 1-10,12-16 and 27-34 is/are pending i 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-10,12-16 and 27-34 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or on Papers The specification is objected to by the Examiner The drawing(s) filed on is/are: a) access the drawing are the specification to the specification and so is/are: a) access | vn from consideration.  r election requirement.  r. epted or b) □ objected to by the E |               |  |  |  |  |  |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.   |  |  |               |  |  |  |  |  |
| Priority u  | ınder 35 U.S.C. § 119  |  |               |  |  |  |  |  |
| <ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>   |  |  |               |  |  |  |  |  |
| 2) 🔲 Notica<br>3) 🔯 Inform  | e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date 9/9/05.   | 4) Interview Summary ( Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:          |               |  |  |  |  |  |

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can

be found in a prior Office action.

Claims 1-2,3-10,12-16 and 27-34 are rejected under 35 U.S.C. 102(b) as being

clearly anticipated by Franchere et al.

See the appropriate paragraph of the 7/5/05 Office action.

The 9/9/05 amendments have added the new language "said well each

comprising a bottom base ...". Franchere et al. teach in column 2 lines 50+ modular

unit(10) with a bottom surface/wall(12) that has been read on the claimed "base".

New claim 28 specifies attachment by "sliding" the two walls against each other.

This claims is directed to a method of use and does not positively claim means with this

specialized function. It is well settled the method of intended use of an apparatus is of

no patentable moment with respect to pending apparatus claims. Furthermore, the

Office maintains the walls of Franchere et al. could be slid next to each other for

engagement.

New claims 29-34 specify an optical window. The Office maintains Franchere et

al. teach openings, such as (26), that read on the claimed optical window.

Response to Arguments

Applicant's arguments filed 9/9/05 have been fully considered but they are not

persuasive.

Art Unit: 1743

Applicants' state the instant invention requires a plurality of wells for containing a sample whereas Franchere et al. teach modular units for supporting sample containers. The Office maintains Franchere et al. teach supporting samples and is indistinguishable from the pending claims.

Applicants' state claim 27 is drawn to a "flange" which is not taught by Franchere et al. The Office has read the claimed "flange" as a protruding edge, rim or collar which is met by the protuberances or buttons(30) taught by Franchere et al.

## Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/007,031 Page 4

Art Unit: 1743

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A. Alexander whose telephone number is 571-272-1254. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lyle A Alexander Primary Examiner Art Unit 1743

\*\*\*